

From: [Jose Cisneros](#)
To: [MAUPIN, NATALIE](#)
Cc: [Ellens, Newton](#); [Bye, Julie](#); [McNeil, Tammie](#); [Ream, Nicholas](#); [Kenneth Myers](#); [Jose Cisneros](#)
Subject: East Chicago Sanitary District (IN0022829) - Response to IDEM'S PT Audit - Supporting Documents
Date: Monday, September 20, 2021 1:34:16 PM
Attachments: [ATT00001.txt](#)
[image002.png](#)
[image003.png](#)
[image004.png](#)
[image005.png](#)
[16.0 Record Retention Related Requirements.pdf](#)
[20.0\(b\) Safety Kleen Permit ID of Sample Collection Location.pdf](#)
[24.0 ERP Enforcement Sections.pdf](#)
[25.0\(a\) 901 Self Monitoring-Requirement.pdf](#)

Dear Natalie:

Please also receive.

Kind Regards,

Jose Cisneros

Pretreatment Coordinator
East Chicago Sanitary District Wastewater
5201 Indianapolis Blvd.
East Chicago, IN 46312
O: (219)516-2317
F: (219)391-8254



Visit us at...



Disclaimer

The information contained in this communication from the sender is confidential. It is intended solely for use by the recipient and others authorized to receive it. If you are not the recipient, you are hereby notified that any disclosure, copying, distribution or taking action in relation of the contents of this information is strictly prohibited and may be unlawful.

This email has been scanned for viruses and malware, and may have been automatically archived by **Mimecast Ltd**, an innovator in Software as a Service (SaaS) for business. Providing a **safer** and **more**

useful place for your human generated data. Specializing in; Security, archiving and compliance. To find out more [Click Here](#).